AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all prior versions of claims in the application.

Claim 1 (Currently Amended): A device for folding a continuous paper having a perforation perforations, the device comprising:

a swing arm pivotable about an axis at one end of the swing arm to guide the continuous paper to be accordion-folded along the perforation perforations with equal widths as a result of a swinging operation of the swing arm,

a table that receives the folded continuous paper fed via the swing arm,

wherein the swing arm includes a telescopic structure varying the length of the swing arm to at least two different lengths in a swing, [[and]]

wherein the swing arm comprises a rectangular plate and extends above both two edges of the table, and

wherein said swing arm is pivoted about said axis by a swing operation motor disposed in said axis.

Claim 2 (Currently Amended): A device for folding a continuous paper having a perforation perforations, the device comprising:

a swing arm pivotable about an axis at one end of the swing arm to guide the continuous paper to be accordion-folded along the <u>perforation perforations</u> and accordion-folded with equal widths as a result of a swinging operation of the swing arm,

a table that receives the folded continuous paper fed via the swing arm,

wherein the swing arm includes a telescopic structure varying the length of the swing arm

over a range of a swing of the swing arm,

wherein the swing arm comprises a rectangular plate and extends above two both edges

of the table, [[and]]

wherein said length of the swing arm is minimum at the center of said range and

gradually increases towards extreme portions of said range, and

wherein said swing arm is pivoted about said axis by a swing operation motor disposed in

said axis.

Claim 3 (Previously Presented): The device as claimed in claim 1, wherein said length of the

swing arm is varied such that the tip of the swing arm does not touch the top surface of said

folded continuous paper.

Claim 4 (Original): The device as claimed in claim 1, wherein said swing arm includes an arm

main body and a sub-arm which is extendable and retractable from the tip of said arm main body.

Claim 5 (Previously Presented): The device as claimed in claim 1, wherein the table is

vertically movable, the device further comprising:

an error detector that detects any fold error of said continuous paper; and

Page 3

a controller that recovers said device from said fold error in such a manner that, upon

detection of a fold error, the swinging of the swing arm is stopped, said table is descended

through a predetermined distance and then said table is ascended back to its original level.

Claim 6 (Currently Amended): A continuous medium printing apparatus provided with a

device for folding a continuous paper having a perforation perforations, said device comprising:

a swing arm being pivotable about an axis at one end of the swing arm to guide the

continuous paper to be accordion-folded along the perforation perforations, said continuous

paper being guided by the swing arm and accordion-folded with equal widths as a result of the

swinging operation of the swing arm, and

a table that receives the folded continuous paper fed via the swing arm,

wherein said swing arm includes a telescopic structure such that the length of the swing

arm is changed to have at least two different lengths in a swing wherein the swing arm comprises

a rectangular plate and extends above two both edges of the table, and

wherein said swing arm is pivoted about said axis by a swing operation motor disposed in

said axis.

Claim 7 (Previously Presented): The device as claimed in claim 1, further comprising a

creasing mechanism, and wherein said continuous paper is creased with equal widths as a result

of the swinging operation of said swing arm and an operation of said creasing mechanism.

Page 4

Claim 8 (Currently Amended): A device for folding a continuous paper having a perforation

perforations, the device comprising:

a swing arm pivotable about an axis at one end of the swing arm to guide the continuous

paper to be accordion-folded along the perforation perforations with equal widths as a result of a

swinging operation of said swing arm,

a table that receives the folded continuous paper fed via the swing arm,

wherein the swing arm includes a telescopic structure varying the length of the swing arm

and comprises a rectangular plate, [[and]]

wherein the swing arm extends in order to fold the continuous paper along the perforation

perforations when the swing arm is swayed toward two both edges of the table, and

wherein said swing arm is pivoted about said axis by a swing operation motor disposed in

said axis.

Claim 9 (New): A device for folding a continuous paper having perforations, the device

comprising:

a swing arm pivotable about an axis at one end of the swing arm to guide the continuous

paper to be accordion-folded along the perforations with equal widths as a result of a swinging

operation of the swing arm,

a table that receives the folded continuous paper fed via the swing arm,

Page 5

Submission under 37 C.F.R. 1.114 Serial No. 09/987,901 Attorney Docket No. 011543

wherein the swing arm includes a telescopic structure formed with a plurality of rectangular plates, the telescopic structure varying the length of the swing arm to at least two different lengths in a swing, and

wherein the swing arm extends above two edges of the table.